



N-Type

MONO-FACIAL MODULE

Type: DMxxxM10RT-54HSW/HBW

Power Range: 440 - 455 W Max. Efficiency: 22.8 %



Better Performance

Our modules perform better on sunny and hot days thanks to its optimized temperature coefficient.



Excellent Low Light Performance

Our modules can also provide higher power output under low light conditions, such as sunset, cloudy, or dawn.



Excellent Quality

More than 40 years' experience of manufacturing and intensive quality tests above the IEC standard ensures reliable modules and a secured investment.



Assumption of Environmental, Social and

Governance Responsibility (ESG)

DMEGC stands for his responsibility. Production is certified according to SA 8000 (ILO standards).



High-quality service

We provide a customer-oriented and localized services, covering pre-sale, sale and after-sales.




SA 8000 ILO Standards. Social responsibility standards

ISO 9001 Quality management system

ISO 14001 Environmental management system

ISO 45001 Occupational health and safety management system

ISO 50001 Energy management system




























DMxxxM10RT-54HSW/HBW



Module Specification

Cell Type	N -type Mono-crystalline , 108 (6x18)	
Dimensions (mm)	1762 x 1134 x 30	
Weight (kg)	20.6	
Front Cover	3.2 mm tempered solar glass with anti -reflective coating	
Rear Cover	Backsheet	
Junction Box	3 Diodes, IP68 according to IEC 62790	
Cables	4mm²/Portrait: 350mm (+)/250mm(-) Landscape: 1100mm(+)/1100mm(-) Length can be customized	
Connector Type	PV-ZH202B or MC4 (1000V) PV-ZH202B or MC4-EVO 2A (1500V)	



Electrical Specifications¹

Module Type		ORT-54HSW/HBW ORT-54HSW/HBW-V		ORT-54HSW/HBW ORT-54HSW/HBW-V		RT-54HSW/HBW RT-54HSW/HBW-V		RT-54HSW/HBW RT-54HSW/HBW-V
Testing Condition	STC ²	NMOT³	STC	NMOT	STC	NMOT	STC	NMOT
Maximum Power (Pmax/W)	440	331	445	335	450	339	455	343
Maximum Power Current (Imp/A)	13.40	10.83	13.47	10.89	13.54	10.95	13.61	11.00
Maximum Power Voltage (Vmp/V)	32.84	30.67	33.04	30.86	33.24	31.05	33.44	31.23
Short-circuit Current (Isc/A)	13.90	11.19	13.97	11.25	14.04	11.31	14.11	11.36
Open-circuit Voltage (Voc/V)	39.40	37.32	39.60	37.51	39.80	37.70	40.00	37.89
Module Efficiency STC (%)	22	2.0	22	2.3	22	2.5	22	2.8

¹ Measurements according to IEC 60904-3, Measurement tolerance: ISC: ±4%,VOC: ± 3%,

Certifications and Warranty

	IEC 61215, IEC 61730	
	Ammonia Corrosion Test: IEC 62716	
Certifications	Salt Mist Corrosion Test: IEC 61701	
	PID (IEC TS 62804); LeTID (IEC TS 63342)	
	Dust & Sand (IEC 60068)	
WEEE Registration No.	DE 50188598	
Product Warranty	20 years	
Peak Power Warranty	30 years linear warranty	

^{1.)} First year: min. 99 %. 2.) From the 2nd year: Max. 0.4 % degradation annually. 3.) Min. 87.4 % in the 30th year.

Operating conditions


Operating Temperature (°C)	-40 to +85
Maximum System Voltage(V)	1000V/1500V DC (IEC)
Overcurrent protection rating (A)	25
Power Performance Tolerance (%)	0 / +3
Protection class	II
Max. Test Load, Push/Pull (Pa)	Snow 5400 / Wind 2400
Max. Design Load, Push/Pull (Pa)	3600 / 1600

Temperature Characteristics

Nominal Module Operating Temperature (NMOT) 42± 2 $^{\circ}$ C		
Temperature Coefficient of Pmax (%/ $^{\circ}$ C)	-0.29	
Temperature Coefficient of Voc (%/ °C)	-0.25	
Temperature Coefficient of Isc (%/ °C)	+0.048	

Packaging

Container	40' HQ
Pallet Dimensions(mm)	1800× 1140 × 1250
Pieces per Pallet	36
Pieces per Container	936



Statement: The installation instructions and the warranty conditions must be followed. Due to technological progress, product parameters will be adjusted accordingly. When signing the contract, the latest data of the company shall prevail.



Hengdian Group DMEGC Magnetics Co.,Ltd.

Hengdian Industrial Zone, Dongyang City Zhejiang Province,
China 322118

Tel: 0086-579-8658-8825 Fax: 0086-579-8655-4845

E-mail: solar@dmegc.com.cn, Website: www.dmegcsolar.com

All information in this data sheet corresponds to EN 50380. Changes and errors excepted.

Status: 12/2023, Document: **EN_DS-M10RT-54HSW/HBW-202312_3**

 $^{^2}$ STC (Standard Test Condition): Radiation 1000 W/m², Module temperature 25 °C, AM = 1.5 3 NMOT: Radiation 800 W/m², Ambient temperature 20 °C, AM = 1.5, Wind Speed 1 m/s